EDITORIAL INDEX

VOLUME 32 1989

COVERS

AIL Systems Inc.
"The Compressive Receiver: A Versatile Tool for EW Systems," Klaus D. Breuer, Joseph S. Levy and Henry C. Paczkowski, No. 10, p. 81.

Compact Software
"New Design Workstation Simplifies the Design Process," R.J. Gilmore, J. Gerber, M. Eron, M. Anton and J. Brocklehurst, No. 7, p. 138.

Hittite Microwave Corp.
"Monolithic Control Components Handle 27 W of RF Power," Mitchell Shifrin, Yalcin Ayasli and Peter J. Katzin, No. 12, p. 119.

Hughes Electron Dynamics Division
"A 50 kW Peak Power 4 kW Average Power Confined-Flow, PPM-Focused X-Band TWT," No. 4, p. 140.

M-Pulse Microwave
"Leadless Monolithic Devices are Drop-In Replacements for Beam Lead Devices," No. 8, p. 173.

Marconi Instruments Division
"Signal Generators Bring Digital Ease to RF Measurements," No. 11, p. 181.

MITEQ Inc.
"Miniaturized Hybrid MIC Amplifiers Offer Low Noise Figure, Small Size and Low Power Consumption," No. 2, p. 166.

Power Systems Technology Inc.
"100 to 1000 MHz Computer-Controlled AB Linear Power Amplifier System with 1000 W Power Output," No. 9, p. 243.

Scientific-Atlanta Inc.
"High Speed Measurement Receiver Proves Antenna Range Productivity," No. 3, p. 163.

Tachonics Corp.
"Temperature Compensation Using GaAs MMIC Devices," No. 1, p. 167.

GUEST EDITORIAL

Gelnovatch, Vladimir G.
"A Colloquium of Excellence," No. 5, p. 28.

COMPONENTS AND SUBSYSTEMS

Ariel, D., T. Thibout and J.L. Lacombe
"A 1 to 18 GHz High Gain Ultra-Broadband Amplifier with Temperature Compensation," No. 5, p. 251.

Avasarala, M., D.S. Day, B. Kraemer and R. Basset
"High Power GaAs FETs and Drop-In Amplifiers for C and X Band," No. 2, p. 135.

Bandla, S., F. Spooner, R. Tayrani and L. Raffaelli
"A 2 to 26 GHz Monolithic Distributed Amplifier," No. 5, p. 337.

Beckwith, W. and J. Staudinger
"Wide Bandwidth Monolithic Power Dividers," No. 2, p. 155.

Blair, Ed, Kalyan Farrington and Kelvin Tubbs
"Selecting the Right RF Switch," No. 6, p. 161.

Boch, Erik
"A Dual LO Ultra Wideband mm-Wave Finline Mixer," No. 7, p. 125.

Boch, Erik
"A High Efficiency 40 GHz Power FET Frequency Doubler," No. 8, p. 154.

Boch, Erik
"A Planar Wideband mm-Wave Frequency Doubler," No. 12, p. 123.

Chen, Tzu-Hung and Mahesh Kumar
"Dual-Gate GaAs FET: A Versatile Circuit Component for MMICs," No. 6, p. 125.

Cooper, H. Warren
"Radar: A Need-Fostered System's History," No. 5, p. 213.

Dillard, Robin A. and George M. Dillard
"Detection of Covert Message Transmissions," No. 9, p. 137.

Doane, John L. and Tore N. Anderson
"Oversized Rectangular Waveguides with Mode-Free Bends and Twists for Broadband Applications," No. 3, p. 153.

Doust, D., S.J. Fiedziuszko, S. Holme and Y. Honmyo
"Satellite Multiplexing Using Dielectric Resonator Filters," No. 12, p. 93.

Dunn, V.E., N.E. Hodges, O. Sy, W. Alyassini, M. Feng and C.L. Lau
"MMIC Components for mm-Wavelength Active Arrays," No. 12, p. 109.

Fahey, Stephen F.
"Noise Factor of a System with Feedback," No. 9, p. 228.

Fathy, Aly and David Kalokitis
"A High Power S-Band Bipolar Amplifier," No. 6, p. 137.

Halim, M.A.
"A Stub-Mounted Varactor for VCO Design," No. 10, p. 151.

Hopfer, Samuel, Jonah Adelman, Rachel Ben-Michael and Shimon Caspi
"mm-Wave Control Components for the 18 to 40 GHz Frequency Range," No. 7, p. 105.

Hughes, Richard Smith
"RF Detector Logarithmic Video Amplifier," No. 8, p. 137.

Islam, Saiful
"An Analysis and a Design Technique for Microstrip Comblines," No. 11, p. 79.

Javadi, H.H.S.
"Polymers: Exotic Composite Materials," No. 2, p. 162.

Jensen, J.F., U.K. Mishra, A.S. Brown, M.J. Delaney and L.G. Salmon
"Ultrahigh Speed Static and Dynamic Frequency Divider Circuits," No. 3, p. 131.

Jokanovic, Branka and Velimir Trifunovic
"A Ku-Band SSB Mixer," No. 6, p. 153.

Kandpal, Pramode C.
"A Broadband Microstrip Frequency Multiplier Using Dielectric Resonators," No. 5, p. 347.

Keshavamurthy, Talya L.
"2 to 18 GHz Single-Band Digital Frequency Discriminator," No. 3, p. 161.

Khandavalli, Chandra and Jean-Raymond Basset
"16 and 32 W Linear Power GaAs FETs Challenge Silicon Bipolar Transistors in L-Band," No. 9, p. 189.

Khanna, A.P.S. and E. Topacio
"A Highly-Stable 36 GHz GaAs FET DRO with Phase-Lock Capability," No. 7, p. 117.

Kushner, Lawrence J.
"Output Performance of Idealized Microwave Power Amplifiers," No. 10, p. 103.

Levinson, David and Richard L. Bennett
"Multiplexing with High Performance Directional Filters," No. 6, p. 99.

Louw, H.W. and J.R. Nortier
"Cascaded Lange Couplers," No. 11, p. 179.

Minnis, B.J.
"Expanding the Frequency Range of Distributed Amplifiers with Bandpass Filter Structures," No. 8, p. 109.

Music, Wayne
"Adaptive Filters in Electronic Warfare," No. 9, p. 157.

Neikirk, D.P., P. Cheung, M.S. Islam and T. Itoh
"Optically-Controlled Coplanar Waveguide Phase Shifters," No. 12, p. 77.

Nguyen, Cam
"Design and Performance of a W-Band Broadband Microstrip Phase Shifter," No. 7, p. 91.

Pavio, Anthony M., Jeanne S. Pavio and James E. Chapman, Jr.
"The High Volume Production of Advanced Radar Modules," No. 1, p. 139.

Peterson, Val
"Instrument Applications of GaAs ICs," No. 8, p. 46.

Priolo, Martin, Curtis Barratt and Gary St. Onge
"2 to 8 GHz High Gain Monolithic Feedback Amplifier," No. 8, p. 127.

Ray, U.C., Arvind Kumar Gupta and Prem Swarup
"A Practical Approach to the Design of a W-Band Impatt Oscillator," No. 11, p. 157.

Regan, Robert J., Scott J. Butler, Mehdy Abdollahian and Emel Bulat
"Cryogenic Operation of UHF Power Static Induction Transistors," No. 9, p. 169.

Runge, K., R.D. Standley and D.J. Milliker
"A 3 GHz Bandwidth, 37 dB Gain Amplifier for Use in Gb/s Fiber Optic Communication Systems," No. 6, p. 185.

EDITORIAL INDEX

VOLUME 32 1989

COVERS

AIL Systems Inc.
"The Compressive Receiver: A Versatile Tool for EW Systems," Klaus D. Breuer, Joseph S. Levy and Henry C. Paczkowski, No. 10, p. 81.

Compact Software
"New Design Workstation Simplifies the Design Process," R.J. Gilmore, J. Gerber, M. Eron, M. Anton and J. Brocklehurst, No. 7, p. 138.

Hittite Microwave Corp.
"Monolithic Control Components Handle 27 W of RF Power," Mitchell Shifrin, Yalcin Ayasli and Peter J. Katzin, No. 12, p. 119.

Hughes Electron Dynamics Division
"A 50 kW Peak Power 4 kW Average Power Confined-Flow, PPM-Focused X-Band TWT," No. 4, p. 140.

M-Pulse Microwave
"Leadless Monolithic Devices are Drop-In Replacements for Beam Lead Devices," No. 8, p. 173.

Marconi Instruments Division
"Signal Generators Bring Digital Ease to RF Measurements," No. 11, p. 181.

MITEQ Inc.
"Miniaturized Hybrid MIC Amplifiers Offer Low Noise Figure, Small Size and Low Power Consumption," No. 2, p. 166.

Power Systems Technology Inc.
"100 to 1000 MHz Computer-Controlled AB Linear Power Amplifier System with 1000 W Power Output," No. 9, p. 243.

Scientific-Atlanta Inc.
"High Speed Measurement Receiver Proves Antenna Range Productivity," No. 3, p. 163.

Tachonics Corp.
"Temperature Compensation Using GaAs MMIC Devices," No. 1, p. 167.

GUEST EDITORIAL

Gelnovatch, Vladimir G.
"A Colloquium of Excellence," No. 5, p. 28.

COMPONENTS AND SUBSYSTEMS

Ariel, D., T. Thibout and J.L. Lacombe
"A 1 to 18 GHz High Gain Ultra-Broadband Amplifier with Temperature Compensation," No. 5, p. 251.

Avasarala, M., D.S. Day, B. Kraemer and R. Basset
"High Power GaAs FETs and Drop-In Amplifiers for C and X Band," No. 2, p. 135.

Bandla, S., F. Spooner, R. Tayrani and L. Raffaelli
"A 2 to 26 GHz Monolithic Distributed Amplifier," No. 5, p. 337.

Beckwith, W. and J. Staudinger
"Wide Bandwidth Monolithic Power Dividers," No. 2, p. 155.

Blair, Ed, Kalyan Farrington and Kelvin Tubbs
"Selecting the Right RF Switch," No. 6, p. 161.

Boch, Erik
"A Dual LO Ultra Wideband mm-Wave Finline Mixer," No. 7, p. 125.

Boch, Erik
"A High Efficiency 40 GHz Power FET Frequency Doubler," No. 8, p. 154.

Boch, Erik
"A Planar Wideband mm-Wave Frequency Doubler," No. 12, p. 123.

Chen, Tzu-Hung and Mahesh Kumar
"Dual-Gate GaAs FET: A Versatile Circuit Component for MMICs," No. 6, p. 125.

Cooper, H. Warren
"Radar: A Need-Fostered System's History," No. 5, p. 213.

Dillard, Robin A. and George M. Dillard
"Detection of Covert Message Transmissions," No. 9, p. 137.

Doane, John L. and Tore N. Anderson
"Oversized Rectangular Waveguides with Mode-Free Bends and Twists for Broadband Applications," No. 3, p. 153.

Doust, D., S.J. Fiedziuszko, S. Holme and Y. Honmyo
"Satellite Multiplexing Using Dielectric Resonator Filters," No. 12, p. 93.

Dunn, V.E., N.E. Hodges, O. Sy, W. Alyassini, M. Feng and C.L. Lau
"MMIC Components for mm-Wavelength Active Arrays," No. 12, p. 109.

Fahey, Stephen F.
"Noise Factor of a System with Feedback," No. 9, p. 228.

Fathy, Aly and David Kalokitis
"A High Power S-Band Bipolar Amplifier," No. 6, p. 137.

Halim, M.A.
"A Stub-Mounted Varactor for VCO Design," No. 10, p. 151.

Hopfer, Samuel, Jonah Adelman, Rachel Ben-Michael and Shimon Caspi
"mm-Wave Control Components for the 18 to 40 GHz Frequency Range," No. 7, p. 105.

Hughes, Richard Smith
"RF Detector Logarithmic Video Amplifier," No. 8, p. 137.

Islam, Saiful
"An Analysis and a Design Technique for Microstrip Comblines," No. 11, p. 79.

Javadi, H.H.S.
"Polymers: Exotic Composite Materials," No. 2, p. 162.

Jensen, J.F., U.K. Mishra, A.S. Brown, M.J. Delaney and L.G. Salmon
"Ultrahigh Speed Static and Dynamic Frequency Divider Circuits," No. 3, p. 131.

Jokanovic, Branka and Velimir Trifunovic
"A Ku-Band SSB Mixer," No. 6, p. 153.

Kandpal, Pramode C.
"A Broadband Microstrip Frequency Multiplier Using Dielectric Resonators," No. 5, p. 347.

Keshavamurthy, Talya L.
"2 to 18 GHz Single-Band Digital Frequency Discriminator," No. 3, p. 161.

Khandavalli, Chandra and Jean-Raymond Basset
"16 and 32 W Linear Power GaAs FETs Challenge Silicon Bipolar Transistors in L-Band," No. 9, p. 189.

Khanna, A.P.S. and E. Topacio
"A Highly-Stable 36 GHz GaAs FET DRO with Phase-Lock Capability," No. 7, p. 117.

Kushner, Lawrence J.
"Output Performance of Idealized Microwave Power Amplifiers," No. 10, p. 103.

Levinson, David and Richard L. Bennett
"Multiplexing with High Performance Directional Filters," No. 6, p. 99.

Louw, H.W. and J.R. Nortier
"Cascaded Lange Couplers," No. 11, p. 179.

Minnis, B.J.
"Expanding the Frequency Range of Distributed Amplifiers with Bandpass Filter Structures," No. 8, p. 109.

Music, Wayne
"Adaptive Filters in Electronic Warfare," No. 9, p. 157.

Neikirk, D.P., P. Cheung, M.S. Islam and T. Itoh
"Optically-Controlled Coplanar Waveguide Phase Shifters," No. 12, p. 77.

Nguyen, Cam
"Design and Performance of a W-Band Broadband Microstrip Phase Shifter," No. 7, p. 91.

Pavio, Anthony M., Jeanne S. Pavio and James E. Chapman, Jr.
"The High Volume Production of Advanced Radar Modules," No. 1, p. 139.

Peterson, Val
"Instrument Applications of GaAs ICs," No. 8, p. 46.

Priolo, Martin, Curtis Barratt and Gary St. Onge
"2 to 8 GHz High Gain Monolithic Feedback Amplifier," No. 8, p. 127.

Ray, U.C., Arvind Kumar Gupta and Prem Swarup
"A Practical Approach to the Design of a W-Band Impatt Oscillator," No. 11, p. 157.

Regan, Robert J., Scott J. Butler, Mehdy Abdollahian and Emel Bulat
"Cryogenic Operation of UHF Power Static Induction Transistors," No. 9, p. 169.

Runge, K., R.D. Standley and D.J. Milliker
"A 3 GHz Bandwidth, 37 dB Gain Amplifier for Use in Gb/s Fiber Optic Communication Systems," No. 6, p. 185.

Schäfer, M., U. Bochtler, R. Bitzer and F. Landstorfer
"Radiation Losses in Planar Filter Structures," No. 10, p. 139.

Schineller, E.R., A. Pospishil and J. Grzyb
"Insertion of GaAs MMICs into EW Systems," No. 9, p. 93

Singh, Har Mohinder and John Howard
"Fundamentals of Wideband Stripline Directional Coupler Design," No. 11, p. 95.

Slobodnik, Jr., A.J., R.T. Webster, G.A. Roberts and G.J. Scalzie
"Millimeter GaAs Switch FET Modeling," No. 8, p. 93.

Steyskal, Hans and John F. Rose
"Digital Beamforming for Radar Systems," No. 1, p. 121.

Stiglitz, Martin R. and Lloyd D. Resnick
"Attending the Conference," No. 5, p. 40.

Swift, Chuck
"Welcome Aboard the *Symposium by the Sea*," No. 5, p. 32.

Tsui, James B.Y.
"Channelizers and Frequency Encoders," No. 9, p. 38.

Waugh, Raymond W.
"Sensitivity Analyis of the Lange Coupler," No. 11, p. 121.

Williams, Ralph H.
"Theory and Application of a 0.5 to 18 GHz Tunable IFM Receiver," No. 2, p. 89.

ANTENNAS

Axelrod, A., M. Kisliuk and J. Moaz
"A Broadband Microstrip-Fed Slot Radiator," No. 6, p. 81.

Cooke, William P., Joseph M. Harris and Calvin R. Jameson
"Design and Fabrication of a Large Airborne Phased-Array Antenna," No. 1, p. 107.

Gilbert, Larry L.
"Resolving Two Closely Spaced Targets with a Conical-Scanning Tracker," No. 2, p. 146.

Hamadallah, Mazen
"Low Cross-Polarization Tapered Microstrip Array," No. 5, p. 329.

Kraus, John D.
"Antennas: Our Electronic Eyes and Ears," No. 1, p. 77.

Morris, Guy V.
"Antenna Sidelobe Requirements for the Medium PRF Mode of an Airborne Radar," No. 9, p. 121.

Palumbo, Benito
"Some New Ideas in Radar Antenna Technology," No. 1, p. 95.

Sefton, Jr., Harry B.
"Polarization Determination in a DF System at mm-Wavelengths without a Rotary Joint," No. 9, p. 107.

Shukla, S.R.
"A High Efficiency Horn Antenna Feed," No. 5, p. 305.

DESIGN

Archer, J.W.
"A Simple Approximate Method for Predicting the Reflection Properties of Grooved Dielectric Panels," No. 5, p. 283.

Atwater, H.A.
"Simplified Design Equations for Microstrip Line Parameters," No. 11, p. 109.

Bahl, I.J., E.L. Griffin and C. Andricos
"A 14 W C-Band Power Amplifier Employing MMIC Chips," No. 5, p. 295.

Beaudette, R.G. and L.J. Kushner
"Waveguide-to-Microstrip Transitions," No. 9, p. 211.

Booysen, A.J. and J.A.G. Malherbe
"Transmission Line Analysis of a Linear Double Taper in Rectangular Waveguides," No. 11, p. 169.

Cellers, A.F.
"Autocorrelation Determines the Coherency of Injection-Locked Pulsed Systems," No. 1, p. 163.

Cochran, S.R. and S.Y. Wang
"Efficient Optical Injection Locking of Electronic Oscillators," No. 5, p. 315.

Fouladian, Jamshid and Protap Pramanick
"Generalized Analytical Equations for Strip Transmission Lines," No. 11, p. 165.

Gagnon, Andre and Paul Langner
"Parametric Frequency Divider Basics," No. 9, p. 221.

Gutierrez, Ray
"K-Factor >1: The Key for Stable Amplifiers," No. 9, p. 203.

Herzig, Paul A.
"Computer Program for the Design of Multicouplers Serving Co-Located Transmitters and Receivers," No. 2, p. 113.

Howard, John and Wenny C. Lin
"Evanescent Mode Filter: Design and Implementation," No. 10, p. 121.

Jackson, Charles M.
"Introduction to Lange Coupler Design," No. 10, p. 145.

Kajfez, Darko, Karthikeyan Mahadevan and James A. Gerald
"PC Software Maps Electromagnetic Vector Fields," No. 5, p. 267.

Mongia, R.K.
"A Simple Relation between Resonant Frequencies of a Dielectric Resonator," No. 9, p. 217.

Murphy, Michael T.
"Applying the Series Feedback Technique to LNA Design," No. 11, p. 143.

Murray, Derek D.
"Polynomial Expressions Lead to Accurate Resonant Frequency Computations for DROs," No. 9, p. 241.

Nativ, Zvi and Yair Shur
"Push-Push VCO Design with CAD Tools," No. 2, p. 127.

Pramanick, Protap and Prakash Bhartia
"Phase Velocity Dependence of the Frequency-Dependent Characteristic Impedance of Microstrip," No. 6, p. 180.

Puglia, Ken and Marc Goldfarb
"Designing Lumped-Element Bandpass Filters Using Coupled Resonators," No. 9, p. 197.

Stones, D.I.
"A UHF 16-Way Power Combiner Designed by Synthesis Techniques," No. 6, p. 117.

Warren, David A., J. Michael Golio and Warren L. Seely
"Large and Small Signal Oscillator Analysis," No. 5, p. 229.

Withington, Stafford
"Scattered Noise Waves in Microwave and mm-Wave Networks," No. 6, p. 169.

CAD/CAD APPLICATIONS

de La Chapelle, Michael
"Computer-Aided Analysis and Design of Microwave Fiber-Optic Links," No. 9, p. 179.

Denig, Carl
"Using Microwave CAD Programs to Analyze Microstrip Interdigital Filters," No. 3, p. 147.

Goyal, Ravender and Sarjit Bharj
"Microwave Circuit Analysis Using Spice," No. 8, p. 149.

INSTRUMENTS/MEASUREMENTS

Arjavalingam, G., Y. Pastol, J.M. Halbout and G.V. Kopcsay
"Application of Picosecond Optoelectronics in Broadband Microwave Material Measurements," No. 11, p. 133.

Froelich, Robert K.
"Automated Tuning for Noise Parameter Measurements Using a Microwave Probe," No. 3, p. 83.

Handlon, Dennis
"mm-Wave Signal Identification," No. 7, p. 130.

Herscher, Bret A.
"A Three-Port Method for Microwave Power Sensor Calibration," No. 3, p. 117.

Hess, Doren W. and Victor Farr
"Time Gating of Antenna Measurements," No. 1, p. 151.

Jones, Keith
"Suppression of Spurious Propagation Modes in Microwave Wafer Probes," No. 11, p. 173.

Kuriger, Robert P.
"A Technique for Measuring Transport Delay of Frequency Multipliers," No. 3, p. 127.

Setty, Radhakrishnaiah P.N. and Wing Shum
"Automatic Compression Measurements Using Network Analyzers," No. 3, p. 129.

Tsironis, C.
"Two Tone Intermodulation Measurements Using a Computer-Controlled Microwave Tuner," No. 10, p. 161.

Williams, Joe
"Accuracy Enhancement Fundamentals for Vector Network Analyzers," No. 3, p. 99.

MILLIMETER WAVES

Boch, Erik
"A Dual LO Ultra Wideband mm-Wave Finline Mixer," No. 7, p. 125.

Boch, Erik
"A High Efficiency 40 GHz Power FET Frequency Doubler," No. 8, p. 154.

Handlon, Dennis
"mm-Wave Signal Identification," No. 7, p. 130.

Hopfer, Samuel, Jonah Adelman, Rachel Ben-Michael and Shimon Caspi
"mm-Wave Control Components for the 18 to 40 GHz Frequency Range," No. 7, p. 105.

Khana, A.P.S. and E. Topacio
"A Highly-Stable 36 GHz GaAs FET DRO with Phase-Lock Capability," No. 7, p. 117.

Kim, C., C. Dunnrowicz, J. Crowley, B. Fank, and L. Wandinger
"mm-Wave Tunable Microstrip InP Gunn Oscillators," No. 4, p. 91.

[Continued on page 148]

Nguyen, Cam
"Design and Performance of a W-Band Broadband Microstrip Phase Shifter," No. 7, p. 91.

Peterson, Dean F. and David P. Kiemer
"Multiwatt IMPATT Power Amplification for EHF Applications," No. 4, p. 107.

Slobodnik, Jr., A.J., R.T. Webster, G.A. Roberts and G.J. Scalzie
"Millimeter GaAs Switch FET Modeling," No. 8, p. 93.

Stern, Richard A. and Richard W. Babbitt
"mm-Wave Microstrip 'Drop-In' Circulators," No. 4, p. 137.

Tserng, H.Q., B. Kim, P. Saunier, H.D. Shih and M.A. Khatibzadeh
"mm-Wave Power Transistors and Circuits," No. 4, p. 125.

MIC/MMIC

Bayraktaroglu, Burhan
"Monolithic IMPATT Technology," No. 4, p. 73.

Dougherty, Richard M.
"MMIC Oscillator Design Techniques," No. 8, p. 161.

Seely, Warren
"Determine MMIC Maximum Processing Temperature," No. 8, p. 170.

SYSTEMS

Breuer, Klaus D., Joseph S. Levy and Henry C. Paczkowski
"The Compressive Receiver: A Versatile Tool for EW Systems," No. 10, p. 81.

Rush, J.W.
"Microwave Path Availability at 19 and 23 GHz," No. 8, p. 165.

SPECIAL REPORTS

Bierman, Howard
"innovative Circuit Arrangements and Device Designs Provide High Performance RF and mm-Wave Sources for Military Applications," No. 6, p. 26.

Bierman, Howard
"mm-Wave Devices and Subsystems Meet Military/Space Demands," No. 7, p. 26.

Bierman, Howard
"Innovative Designs Produce Smaller, Improved Performance Signal Processing Components," No. 10, p. 26.

Christensen, Jon A.
"Summary of the Monterey Power Tube Conference," No. 2, p. 26.

Foster, Will and Rob Buxton
"The European Microwave Test Equipment Market," No. 3, p. 26.

Howe, Jr., Harlan and Roger W. Sudbury
"Nova Presents *Echos of War*," No. 9, p. 26.

Lahey, James
"Junction Circulator Design," No. 11, p. 26.

Montgomery, Jeff D.
"Hybrid MIC North American Markets," No. 4, p. 32.

Robinson, Herbert L.
"SAW Markets in North America," No. 12, p. 26.

Stiglitz, Martin R.
"Reflections on the 10th Annual IEEE GaAs IC Symposium and the 1988 US Conference on GaAs Manufacturing Technology," No. 1, p. 40.

Stiglitz, Martin R. and Lloyd D. Resnick
"The MIMIC Program: A Technology Impact Report," No. 1, p. 30.

Tsui, James B.Y., Rudy L. Shaw and Robert L. Davis
"Performance Standards for Wideband EW Receivers," No. 2, p. 46.

SPECIAL EDITORS' REPORTS

Gelnovatch, Vladimir G.
"More Quality at Less Cost," No. 4, p. 26.

Wiltse, James C.
"The State of the Art of Radar and Antennas," No. 1, p. 26.

PRODUCT FEATURES

Alpha Industries Inc.
"mm-Wave MIC Harmonic Mixers," No. 1, p. 184.

Avantek Inc.
"34.5 to 35.5 GHz 0.5 W Saturated Output Power GaAs FET Amplifiers," No. 5, p. 366.

Compact Software Inc.
"Microwave Design Workstation for Complex MMIC Modeling," No. 5, p. 360.

Dow Key Microwave Corp.
"5 ms Low Loss Mechanical Switches Operate from DC to 26.5 GHz," No. 5, p. 364.

EEsof Inc.
"Harmonic Balance Software Simplifies and Speeds Analysis of Nonlinear Microwave Circuits," No. 5, p. 368.

EIP Microwave Inc.
"Pulse/CW Frequency Counter Reaches 170 GHz," No. 5, p. 358.

Focus Microwaves Inc.
"1.6 to 18 GHz Computer-Controlled Microwave Tuner," No. 3, p. 173.

Hewlett-Packard Co.
"Frequency Agile Signal Simulator for EW, Radar and Communications," No. 4, p. 148.

Hewlett-Packard Co.
"Microwave Nonlinear-Circuit Simulator," No. 6, p. 190.

Hewlett-Packard Co.
"500 MHz to 20 GHz Pulse Microwave Counter," No. 9, p. 246.

Hewlett-Packard Co.
"The HP 8360 Series Synthesized Sweepers," No. 11, p. 189.

KDI Triangle Electronics
"Phase Shifters with Optimized Subbands," No. 8, p. 175.

Kaman Instrumentation
"SiO_2 Reference Lines Improve Measurement Stability of the HP 8510 VANA," No. 5, p. 357.

Krytar
"Precision Coaxial Terminations Offer Low SWR and Mechanical Reliability," No. 2, p. 177.

Maury Microwave
"Software Enhances Speed and Accuracy of a Dual-Tuner Noise Characterization System," No. 12, p. 126.

Ortel Corp.
"10 and 12 GHz Fiber Optic Links," No. 5, p. 362.

Pacific Monolithics Inc.
"Phase-Shift Receive Module with Monolithic Insertions," No. 2, p. 173.

Palco Connector Inc.
"DC to 32 GHz Connectors Eliminate the Need For Coincident Reference Planes," No. 2, p. 178.

SSPA Microwave Corp.
"A 100 W 5.85 to 6.45 GHz Solid-State Power Amplifier," No. 2, p. 171.

Tektronix Inc.
"Downconverter Extends Range of Real Time Spectral Analysis to Microwave Frequencies," No. 10, p. 173.

Watkins-Johnson Co.
"8.6 to 10.2 GHz Set-On ECM Receiver," No. 9, p. 247.

Wavetek
"0.01 to 550 MHz Signal Generator Deviation Meter." No. 4, p. 147.

Wiltron Co.
"Millimeter-wave System Extends Vector Network Analyzer Coverage to 110 GHz," No. 3, p. 171.

Wiltron Co.
"10 MHz to 60 GHz Frequency Synthesizers," No. 7, p. 158.

Z-Communications Inc.
"VCOs with Coaxial Resonators," No. 10, p. 172.

THE 1989 MTT-S INTERNATIONAL MICROWAVE SYMPOSIUM

Technical Program, No. 5, p. 86.
Exhibitor List, No. 5, p. 134.
Exhibition Floor Plan, No. 5, p. 136.
Exhibition Guide, No. 5, p. 140.
"What Happened at the Conference?" Martin R. Stiglitz, No. 8, p. 26.

1989 EUROPEAN MICROWAVE CONFERENCE

Technical Program, No.7, p. 42.
Exhibitors' List, No. 7, p. 56.

MICROWAVE USA '89 EXHIBITION AND TECHNICAL SEMINAR

Technical Program, No. 3, p. 44.
Exhibitor's List, No. 8, p. 42.

STATE OF THE ART REFERENCE

Faulkner, Thomas R.
"Residual Phase Noise Measurement," p. 135.

Hansen, James W.
"US TWTs from 1 to 100 GHz," p. 179.

Hord, William E.
"Microwave and Millimeter Wave Ferrite Phase Shifters," p. 81.

Liechti, Charles A.
"High Speed Transistors: Directions for the 1990s," p. 165.

Pitzalis, Octavius
"Microwave to mm-Wave CAE: Concept to Production," p. 15.

Rodrigue, G.P.
"Circulators from 1 to 100 GHz," p. 115.

Rohde, Ulrich L., Michael Anton, David Gabbay and Rowan Gilmore
"MMIC Workstations for the 1990s," p. 51.

Sharma, Arvind K.
"Solid-State Control Devices: State of the Art," p. 95.

Shih, Y.C. and H.J. Kuno
"Solid-State Sources from 1 to 100 GHz," p. 145.

Archer, J.W.
"A Simple Approximate Method for Predicting the Reflection Properties of Grooved Dielectric Panels," No. 5, p. 283

Ariel, D., T. Thibout and J.L. Lacombe
"A 1 to 18 GHz High Gain Ultra-Broadband Amplifier with Temperature Compensation," No. 5, p. 251.

Arjavalingam, G., Y. Pastol, J.M. Halbout and G.V. Kopcsay
"Application of Picosecond Optoelectronics in Broadband Microwave Material Measurements," No. 11, p. 133.

Atwater, H.A.
"Simplified Design Equations for Microstrip Line Parameters," No. 11, p. 109.

Avasarala, M., D.S. Day, B. Kraemer and R. Basset
"High Power GaAs FETs and Drop-In Amplifiers for C and X Band," No. 2, p. 135.

Axelrod, A., M. Kisliuk and J. Moaz
"A Broadband Microstrip-Fed Slot Radiator," No. 6, p. 81.

Bahl, I.J., E.L. Griffin and C. Andricos
"A 14 W C-Band Power Amplifier Employing MMIC Chips," No. 5, p. 295.

Bandla, S., F. Spooner, R. Tayrani and L. Raffaelli
"A 2 to 26 GHz Monolithic Distributed Amplifier," No. 5, p. 337.

Bayraktaroglu, Burhan
"Monolithic IMPATT Technology," No. 4, p. 73.

Beaudette, R.G. and L.J. Kushner
"Waveguide-to-Microstrip Transitions," No. 9, p. 211.

Beckwith, W. and J. Staudinger
"Wide Bandwidth Monolithic Power Dividers," No. 2, p. 155.

Bierman, Howard
"Innovative Circuit Arrangements and Device Designs Provide High Performance RF and mm-Wave Sources for Military Applications," No. 6, p. 26.

Bierman, Howard
"mm-Wave Devices and Subsystems Meet Military/Space Demands," No. 7, p. 26.

Bierman, Howard
"Innovative Designs Produce Smaller, Improved Performance Signal Processing Components," No. 10, p. 26.

Blair, Ed, Kalyan Farrington and Kelvin Tubbs
"Selecting the Right RF Switch," No. 6, p. 161.

Boch, Erik
"A Dual LO Ultra Wideband mm-Wave Finline Mixer," No. 7, p. 125.

Boch, Erik
"A High Efficiency 40 GHz Power FET Frequency Doubler," No. 8, p. 154.

Boch, Erik
"A Planar Wideband mm-Wave Frequency Doubler," No. 12, p. 123.

Booysen, A.J. and J.A.G. Malherbe
"Transmission Line Analysis of a Linear Double Taper in Rectangular Waveguides," No. 11, p. 169.

Breuer, Klaus D., Joseph S. Levy and Henry C. Paczkowski
"The Compressive Receiver: A Versatile Tool for EW Systems," No. 10, p. 81.

Celliers, A.F.
"Autocorrelation Determines the Coherency of Injection-Locked Pulsed Systems," No. 1, p. 163.

Chen, Tzu-Hung and Mahesh Kumar
"Dual-Gate GaAs FET: A Versatile Circuit Component for MMICs," No. 6, p. 125.

Christensen, Jon A.
"Summary of the Monterey Power Tube Conference," No. 2, p. 26.

Cochran, S.R. and S.Y. Wang
"Efficient Optical Injection Locking of Electronic Oscillators," No. 5, p. 315.

Cooke, William P., Joseph M. Harris and Calvin R. Jameson
"Design and Fabrication of a Large Airborne Phased-Array Antenna," No. 1, p. 107.

Cooper, H. Warren
"Radar: A Need-Fostered System's History," No. 5, p. 213.

de La Chapelle, Michael
"Computer-Aided Analysis and Design of Microwave Fiber-Optic Links," No. 9, p. 179.

Denig, Carl
"Using Microwave CAD Programs to Analyze Microstrip Interdigital Filters," No. 3, p. 147.

Dillard, Robin A. and George M. Dillard
"Detection of Covert Message Transmissions," No. 9, p. 137.

Doane, John L. and Tore N. Anderson
"Oversized Rectangular Waveguides with Mode-Free Bends and Twists for Broadband Applications," No. 3, p. 153.

Dougherty, Richard M.
"MMIC Oscillator Design Techniques," No. 8, p. 161.

Doust, D., S.J. Fiedziuszko, S. Holme and Y. Honmyo
"Satellite Multiplexing Using Dielectric Resonator Filters," No. 12, p. 93.

Dunn, V.E., N.E. Hodges, O. Sy, W. Alyassini, M. Feng and C.L. Lau
"MMIC Components for mm-Wavelength Active Arrays," No. 12, p. 109.

Fahey, Stephen F.
"Noise Factor of a System with Feedback," No. 9, p. 228.

Fathy, Aly and David Kalokitis
"A High Power S-Band Bipolar Amplifier," No. 6, p. 137.

Faulkner, Thomas R.
"Residual Phase Noise Measurement," SAR, p. 135.

Foster, Will and Rob Buxton
"The European Microwave Test Equipment Market," No. 3, p. 26.

Fouladian, Jamshid and Protap Pramanick
"Generalized Analytical Equations for Strip Transmission Lines," No. 11, p. 165.

Froelich, Robert K.
"Automated Tuning for Noise Parameter Measurements Using a Microwave Probe," No. 3, p. 83.

Gagnon, Andre and Paul Langner
"Parametric Frequency Divider Basics," No. 9, p. 221.

Gelnovatch, Vladimir G.
"More Quality at Less Cost," No. 4, p. 26.

Gelnovatch, Vladimir G.
"A Colloquium of Excellence," No. 5, p. 28.

Gilbert, Larry L.
"Resolving Two Closely Spaced Targets with a Conical-Scanning Tracker," No. 2, p. 146.

Gilmore, R.J., J. Gerber, M. Eron, M. Anton and J. Brocklehurst
"New Design Workstation Simplifies the Design Process," No. 7, p. 138.

Goyal, Ravender and Sarjit Bharj
"Microwave Circuit Analysis Using Spice," No. 8, p. 149.

Gutierrez, Ray
"K-Factor > 1: The Key for Stable Amplifiers," No. 9, p. 203.

Halim, M.A.
"A Stub-Mounted Varactor for VCO Design," No. 10, p. 151.

Hamadallah, Mazen
"Low Cross-Polarization Tapered Microstrip Array," No. 5, p. 329.

Handlon, Dennis
"mm-Wave Signal Identification," No. 7, p. 130.

Hansen, James W.
"US TWTs from 1 to 100 GHz," SAR, p. 179.

Herscher, Bret A.
"A Three-Port Method for Microwave Power Sensor Calibration," No. 3, p. 117.

Herzig, Paul A.
"Computer Program for the Design of Multicouplers Serving Co-Located Transmitters and Receivers," No. 2, p. 113.

Hess, Doren W. and Victor Farr
"Time Gating of Antenna Measurements," No. 1, p. 151.

Hopfer, Samuel, Jonah Adelman, Rachel Ben-Michael and Shimon Caspi
"mm-Wave Control Components for the 18 to 40 GHz Frequency Range," No. 7, p. 105.

Hord, William E.
"Microwave and Millimeter Wave Ferrite Phase Shifters," SAR, p. 81.

Howard, John and Wenny C. Lin
"Evanescent Mode Filter: Design and Implementation," No. 10, p. 121.

Howe, Jr., Harlan and Roger W. Sudbury
"Nova Presents *Echos of War*," No. 9, p. 26.

Hughes, Richard Smith
"RF Detector Logarithmic Video Amplifier," No. 8, p. 137.

Islam, Saiful
"An Analysis and a Design Technique for Microstrip Comblines," No. 11, p. 79.

Jackson, Charles M.
"Introduction to Lange Coupler Design," No. 10, p. 145.

Javadi, H.H.S.
"Polymers: Exotic Composite Materials," No. 2, p. 162.

Jensen, J.F., U.K. Mishra, A.S. Brown, M.J. Delaney and L.G. Salmon
"Ultrahigh Speed Static and Dynamic Frequency Divider Circuits," No. 3, p. 131.

Jokanovic, Branka and Velimir Trifunovic
"A Ku-Band SSB Mixer," No. 6, p. 153.

Jones, Keith
"Suppression of Spurious Propagation Modes in Microwave Wafer Probes," No. 11, p. 173.

Kajfez, Darko, Karthikeyan Mahadevan and James A. Gerald
"PC Software Maps Electromagnetic Vector Fields," No. 5, p. 267.

Kandpal, Pramode C.
"A Broadband Microstrip Frequency Multiplier Using Dielectric Resonators," No. 5, p. 347.

Keshavamurthy, Talya L.
"2 to 18 GHz Single-Band Digital Frequency Discriminator," No. 3, p. 161.

Khandavalli, Chandra and Jean-Raymond Bassel
"16 and 32 W Linear Power GaAs FETs Challenge Silicon Bipolar Transistors in L-Band," No. 9, p. 189.

Khanna, A.P.S. and E. Topacio
"A Highly-Stable 36 GHz GaAs FET DRO with Phase-Lock Capability," No. 7, p. 117.

Kim, C., C. Dunnrowicz, J. Crowley, B. Fank, and L. Wandinger
"mm-Wave Tunable Microstrip InP Gunn Oscillators," No. 4, p. 91.

Kraus, John D.
"Antennas: Our Electronic Eyes and Ears," No. 1, p. 77.

Kuriger, Robert P.
"A Technique for Measuring Transport Delay of Frequency Multipliers," No. 3, p. 127.

Kushner, Lawrence J.
"Output Performance of Idealized Microwave Power Amplifiers," No. 10, p. 103.

Lahey, James
"Junction Circulator Design," No. 11, p. 26.

Levinson, David and Richard L. Bennett
"Multiplexing with High Performance Directional Filters," No. 6, p. 99.

Liechti, Charles A.
"High Speed Transistors: Directions for the 1990s," SAR, p. 165.

Louw, H.W. and J.R. Nortier
"Cascaded Lange Couplers," No. 11, p. 179.

Minnis, B.J.
"Expanding the Frequency Range of Distributed Amplifiers with Bandpass Filter Structures," No. 8, p. 109.

Mongia, R.K.
"A Simple Relation between Resonant Frequencies of a Dielectric Resonator," No. 9, p. 217.

Montgomery, Jeff D.
"Hybrid MIC North American Markets," No. 4, p. 73.

Morris, Guy V.
"Antenna Sidelobe Requirements for the Medium PRF Mode of an Airborne Radar," No. 9, p. 121.

Murphy, Michael T.
"Applying the Series Feedback Technique to LNA Design," No. 11, p. 143.

Murray, Derek D.
"Polynomial Expressions Lead to Accurate Resonant Frequency Computations for DROs," No. 9, p. 241.

Music, Wayne
"Adaptive Filters in Electronic Warfare," No. 9, p. 157.

Nativ, Zvi and Yair Shur
"Push-Push VCO Design with CAD Tools," No. 2, p. 127.

Neikirk, D.P., P. Cheung, M.S. Islam and T. Itoh
"Optically-Controlled Coplanar Waveguide Phase Shifters," No. 12, p. 77.

Nguyen, Cam
"Design and Performance of a W-Band Broadband Microstrip Phase Shifter," No. 7, p. 91.

Palumbo, Benito
"Some New Ideas in Radar Antenna Technology," No. 1, p. 95.

Pavio, Anthony M., Jeanne S. Pavio and James E. Chapman, Jr.
"The High Volume Production of Advanced Radar Modules," No. 1, p. 139.

Peterson, Dean F. and David P. Klemer
"Multiwatt IMPATT Power Amplification for EHF Applications," No. 4, p. 107.

Peterson, Val
"Instrument Applications of GaAs ICs," No. 8, p. 46.

Pitzalis, Octavius
"Microwave to mm-Wave CAE: Concept to Production," SAR, p. 15.

Pramanick, Protap and Prakash Bhartia
"Phase Velocity Dependence of the Frequency-Dependent Characteristic Impedance of Microstrip," No. 6, p. 180.

Priolo, Martin, Curtis Barratt and Gary St. Onge
"2 to 8 GHz High Gain Monolithic Feedback Amplifier," No. 8, p. 127.

Puglia, Ken and Marc Goldfarb
"Designing Lumped-Element Bandpass Filters Using Coupled Resonators," No. 9, p. 197.

Ray, U.C., Arvind Kumar Gupta and Prem Swarup
"A Practical Approach to the Design of a W-Band Impatt Oscillator," No. 11, p. 157.

Regan, Robert J., Scott J. Butler, Mehdy Abdollahian and Emel Bulat
"Cryogenic Operation of UHF Power Static Induction Transistors," No. 9, p. 169.

Robinson, Herbert L.
"SAW Markets in North America," No. 12, p. 26.

Rodrigue, G.P.
"Circulators from 1 to 100 GHz," SAR, p. 115.

Rohde, Ulrich L., Michael Anton, David Gabbay and Rowan Gilmore
"MMIC Workstations for the 1990s," SAR, p. 51.

Runge, K., R.D. Standley and D.J. Millicker
"A 3 GHz Bandwidth, 37 dB Gain Amplifier for Use in Gb/s Fiber Optic Communication Systems," No. 6, p. 185.

Rush, J.W.
"Microwave Path Availability at 19 and 23 GHz," No. 8, p. 165.

Schäfer, M., U. Bochtler, R. Bitzer and F. Landstorfer
"Radiation Losses in Planar Filter Structures," No. 10, p. 139.

Schineller, E.R., A. Pospishil and J. Grzyb
"Insertion of GaAs MMICs into EW Systems," No. 9, p. 93

Seely, Warren
"Determine MMIC Maximum Processing Temperature," No. 8, p. 170.

Sefton, Jr., Harry B.
"Polarization Determination in a DF System at mm-Wavelengths without a Rotary Joint," No. 9, p. 107.

Setty, Radhakrishnaiah P.N. and Wing Shum
"Automatic Compression Measurements Using Network Analyzers," No. 3, p. 129.

Sharma, Arvind K.
"Solid-State Control Devices: State of the Art," SAR, p. 95.

Shifrin, Mitchell, Yalcin Ayasli and Peter J. Katzin
"Monolithic Control Components Handle 27 W of RF Power," No. 12, p. 119.

Shih, Y.C. and H.J. Kuno
"Solid-State Sources from 1 to 100 GHz," SAR, p. 145.

Shukla, S.R.
"A High Efficiency Horn Antenna Feed," No. 5, p. 305.

Singh, Har Mohinder and John Howard
"Fundamentals of Wideband Stripline Directional Coupler Design," No. 11, p. 95.

Slobodnik, Jr., A.J., R.T. Webster, G.A. Roberts and G.J. Scalzie
"Millimeter GaAs Switch FET Modeling," No. 8, p. 93.

Stern, Richard A. and Richard W. Babbitt
"mm-Wave Microstrip 'Drop-In' Circulators," No. 4, p. 137.

Steyskal, Hans and John F. Rose
"Digital Beamforming for Radar Systems," No. 1, p. 121.

Stiglitz, Martin R.
"Reflections on the 10th Annual IEEE GaAs IC Symposium and the 1988 US Conference on GaAs Manufacturing Technology," No. 1, p. 40.

Stiglitz, Martin R.
"What Happened at the Conference?" No. 8, p. 26.

Stiglitz, Martin R. and Lloyd D. Resnick
"The MIMIC Program: A Technology Impact Report," No. 1, p. 30.

Stiglitz, Martin R. and Lloyd D. Resnick
"Attending the Conference," No. 5, p. 40

Stones, D.I.
"A UHF 16-Way Power Combiner Designed by Synthesis Techniques," No. 6, p. 117.

Swift, Chuck
"Welcome Aboard the *Symposium by the Sea*," No. 5, p. 32

Tserng, H.Q., B. Kim, P. Saunier, H.D. Shih, and M.A. Khatibzadeh
"mm-Wave Power Transistors and Circuits," No. 4, p. 125.

Tsironis, C.
"Two Tone Intermodulation Measurements Using a Computer-Controlled Microwave Tuner," No. 10, p. 161.

Tsui, James B.Y., Rudy L. Shaw and Robert L. Davis
"Performance Standards for Wideband EW Receivers," No. 2, p. 46.

Tsui, James B.Y.
"Channelizers and Frequency Encoders," No. 9, p. 38.

Warren, David A., J. Michael Golio and Warren L. Seely
"Large and Small Signal Oscillator Analysis," No. 5, p. 229.

Waugh, Raymond W.
"Sensitivity Analyis of the Lange Coupler," No. 11, p. 121.

Williams, Joe
"Accuracy Enhancement Fundamentals for Vector Network Analyzers," No. 3, p. 99.

Williams, Ralph H.
"Theory and Application of a 0.5 to 18 GHz Tunable IFM Receiver," No. 2, p. 89.

Wiltse, James C.
"The State of the Art of Radar and Antennas," No. 1, p. 26.

Withington, Stafford
"Scattered Noise Waves in Microwave and mm-Wave Networks," No. 6, p. 169.